





### EXTERIOR







### INTERIOR





### INFOTAINMENT



**POWERFUL 8 SPEAKER SURROUND SYSTEM** 





### COMFORT & CONVENIENCE







## SAFETY





### **INCREDIBLE PERFORMANCE**

The advanced iCNG technology assures an unmatched performance, no matter where the road takes you. Quick for city traffic and powerful enough to zip through highways during long commutes. It's the perfect combination of Power and Pickup.



#### INCREDIBLY POWERFUL<sup>^</sup> CNG SEDAN

The iCNG technology has been designed to deliver exceptional driving experience with best-in-class\* power of 73 ps in CNG mode.



#### **EASY CITY MANOEUVRABILITY**

The iCNG technology allows you to manoeuvre through city traffic with ease using clutch-only pick-up. Now, no more losing your cool by pressing the clutch repeatedly.



#### **EFFORTLESS DRIVE IN EVERY TERRAIN**

The iCNG technology allows you to climb ghats in CNG mode with ease, without lowering gears or switching to Petrol mode.



#### **RETUNED SUSPENSION**

The suspension has been tuned specially for CNG to give smoother rides with 165 mm ground clearance.



### **CNG** - iCONIC SAFETY

The Tigor comes with the best-in-class safety\* features and a 4-star Global NCAP rating. It also features an energy-absorbing structure that provides added rigidity to the car's chassis, thus ensuring the safety of the driver and passengers.



#### **LEAK-PROOF DESIGN**

The i-CNG kit has been tested across temperatures and pressures and prevents any gas leaks because it uses high-quality stainless-steel tube and fittings.



#### MICRO SWITCH

The micro switch gives additional safety, switching off the ignition as soon as the fuel lid is opened. Also, it will not allow the car to start until the lid is securely closed, with "CLOSE FUEL LID" alert flashing on the instrument cluster.



#### THERMAL INCIDENT PROTECTION

The i-CNG technology immediately cuts off CNG supply to the engine in case of a thermal incident and releases gas from the cylinder directly into the atmosphere through a special nozzle as a measure of safety.



#### **LEAK DETECTION FEATURE**

The iCNG technology automatically switches from CNG to petrol mode in case of a gas leak and protects the car and passengers from any harm.



#### FIRE PROTECTION DEVICE

The smartly positioned fire extinguisher, placed under the co-driver seat makes sure that safety is easily accessible.



#### STRINGENT QUALITY CONTROL

Tigor iCNG is tested rigorously at every stage of manufacturing and uses best quality components to ensure a stress-free experience for customers.



### • CNG - INTELLIGENT TECHNOLOGY

iCNG's intelligent technology works effortlessly to ensure a seamless driving experience for you at every step. From ensuring high performance to lowering maintenance cost, smart technology is a delight at every turn.



#### SINGLE ADVANCED ECU

The iCNG technology uses single ECU to ensure seamless shifting between CNG and Petrol.

Advanced ECU maintains optimum air-fuel ratio to give an incredible performance and high fuel efficiency.



#### **DIRECT START IN CNG**

The iCNG technology allows you to start the vehicle directly in CNG Mode. Now enjoy every drive stress-free, without worrying about switching to CNG mode.



#### **AUTO SWITCHOVER BETWEEN FUELS**

The iCNG technology automatically switches to Petrol mode in case of low CNG. The "CNG LOW FUEL" alert on instrument cluster informs the customer about low fuel.



#### **FASTER RE-FUELING**

The iCNG technology ensures faster and safer refuelling with NGV 1 receptacle special nozzle.



#### **MODULAR FUEL FILTER**

The iCNG technology comes with Modular Fuel Filter that only requires cartridge changes instead of entire filter replacements, generating less hazardous waste and lowering the cost of maintenance.



#### **ENVIRONMENT FRIENDLY**

The iCNG technology not only gives great performance, but also ensures a healthier and greener environment for the future generation with 24% lower CO2 emission as compared to gasoline cars.





1.2L REVOTRON BS6 PH2 ENGINE

# P E R F O R M A N C E





# C O L O U R S



FEATURES						
Variant	XE	XM	XZ	XZ+		
1.2L Petrol	MT	MT & AMT	MT	MT & AMT		
1.2L iCNG		MT	MT	MT		
Exteriors	- /		1	-		
3-dimensional Headlamps	· /	<b>√</b>	<b>✓</b>	-		
Body Coloured Bumper	<i></i>	<i></i>	✓ ✓	<i></i>		
Humanity Line with Chrome Finish						
Chrome Finish on Rear Bumper Crystal Inspired LED Tail Lamps	<i></i>	<i></i>	✓ ✓	· · · · · · · · · · · · · · · · · · ·		
	<b>✓</b>	<b>√</b>	<b>✓</b>	· · · · · · · · · · · · · · · · · · ·		
High Mounted LED Stop Lamp Premium Piano Black Finish ORVMs	Black	<b>√</b> Black	<b>✓</b>	· · · · · · · · · · · · · · · · · · ·		
Fog Lamps with Chrome Ring Surrounds	DIGUK -	DIGUK	· /			
Chrome Lined Door Handles			· /	· /		
Chrome Linea Door Handles Stylish Black Finish on B Pillar			<b>√</b>			
			<b>✓</b>	· · · · · · · · · · · · · · · · · · ·		
LED Turn Indicator on ORVMs Full Wheel Covers				<u> </u>		
		✓	✓	- Petrol		
Stylish Sonic Silver Alloy Wheels						
R14 Hyperstyle Wheels				iCNG		
Grille with Chrome Finish Tri Arrow Motif				<b>/</b>		
Chrome Lined Lower Grille				<b>/</b>		
Piano Black Shark Fin Antenna				· /		
Signature LED DRLs				<b>/</b>		
Sparkling Chrome Finish Along Window Line				<b>√</b>		
Striking Projector Headlamps	-	-	-	✓		
nterior						
Premium Light Grey & Slate Interior	✓	✓				
Premium Dual Tone Black & Beige Interior			✓	✓		
Full Fabric Seat Upholstery	✓	✓				
Premium Tri Arrow Motif Seat Upholstery			✓	✓		
Door Pocket Storage	✓	✓	✓	✓		
Fablet Storage in Glove Box	✓	✓	✓	1		
Collapsible Grab Handles	✓	✓	<b>✓</b>	✓		
Front Power Outlet	✓	/	/	✓		
Chrome Finish Around AC Vents		/	/	/		
nterior Lamps with Theatre Dimming		/	/	1		
Piano Black Finish Around Infotainment System		/	/	/		
Rear Power Outlet			✓ /	· /		
Body Colour Co-ordinated AC Vents*				· /		
Fabric Lined Rear Door Arm Rest				/		
Premium Knitted Roof Liner				· /		
Leatherette Pack				LP		
Car Infotainment				Li		
Next-gen Infotainmentt System by Harman™	-	/	/	_		
Next-geri infotali inferitt System by Harman™ 17.78 cm Touchscreen Infotainment by Harman™				- ·		
7.78 cm Touchscreen motainment by Harman Premium Harman™ Sound System with 4 Speakers		- /	-	· · · · · · · · · · · · · · · · · · ·		
veeters Weeters		-	2 Tweeters	4 Tweeters		
		-				
MM/FM, USB, iPOD & Bluetooth Connectivity			<b>✓</b>	· /		
Phone Book Access		<b>√</b>	<b>✓</b>	<b>/</b>		
audio Streaming		✓	· /	· /		
Steering Mounted Audio & Phone Controls			✓	1		
Apple CarPlay™ and Android Auto™				/		
mage & Video Playback				<b>✓</b>		
Digital Controls for Automatic Climate Control				✓		
onnectNext App Suite				✓		
all Reject with SMS feature				✓		
ncoming SMS Notifications & Read-Outs**	+	-	-	✓		
nstrument Panel						
igital Instrument Cluster	✓	✓	✓	✓		
igital Clock	✓	✓	✓	✓		
Gear-Shift Display	✓	✓	✓	✓		
rip Meter	✓	✓	✓	✓		
Average Fuel Efficiency	✓	✓	/	/		
Distance to Empty	/	1	1	1		
Driver & Co-driver Seat Belt Reminder	/	/	/	/		
Door Open & Key-in Reminder	· /	· /	/	· /		
Variant	XE	ХМ	XZ	XZ+		
I.2L Petrol	MT	MT & AMT	MT	MT & AMT		

1.2L iCNG			MT	MT	MT
Safety & Security					
Engine Immobiliser		1	1	✓	✓
Driver & Co-Driver Airbags		/	/	/	/
ABS with EBD & Corner Stability (	Control	/	/	<b>✓</b>	/
Seat Belt with Pretensioners & Lo		/	/	· /	/
Seat Belt Reminder (Driver + Co-I		/	1		
Puncture Repair Kit		/	1		
Rear Parking Sensor & Display		Sensor	✓	<b>√</b>	-
Rear Parking Assist Camera					<b>✓</b>
Day & Night IRVM			✓	✓	✓
Speed Dependent Auto Door Lock	(S		/	✓	✓
Follow-Me-Home & Approach Lar	nps		-	<b>✓</b>	<b>✓</b>
Front Fog Lamps			-	<b>✓</b>	<b>✓</b>
Automatic Headlamps					/
Rear Defogger			-		/
Tyre Pressure Monitoring System					
		-		-	· · · · · · · · · · · · · · · · · · ·
Comfort & Convenience					
Electric Power & Tilt Adjustable S		✓	✓	✓	✓
Adjustable Front Head Rests		/	/	✓	✓
Power Windows	Fr	ont	1	✓	/
Tinted Glass (Windows & Tailgate	Glass)	/	/	/	/
Manual Air Conditioner & Heater		/	1	· /	
Electrically Adjustable ORVMs		nual	Manual		
		-			
Central Locking with Remote Flip			Manual	· /	· /
Electrical Boot Unlocking				<b>✓</b>	<b>✓</b>
One Shot Down on Driver Side Wi			-	✓	<b>✓</b>
Push Button Start with Keyless E	ntry	-	-	✓	✓
Cooled Glove Box			-	/	/
Foldable Rear Arm Rest with Cup	Holders			/	/
				<u> </u>	
Rain Sensing Winers					
Rain Sensing Wipers	nction	_			
Autofold ORVM with Welcome Fu	nction				
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment					1
Autofold DRVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side eatherette Pack – Available on Ti	trol	- - -		- - - r Steering Wheel	√ √ √
Autofold ORVM with Welcome Fu	trol igor XZ+	-	- - - Leathe	-	1
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side .eatherette Pack – Available on Ti Premium Leatherette Seats	trol igor XZ+ TECHNICAL SPE	-	- - - Leathe	- - - r Steering Wheel	1
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side .eatherette Pack – Available on Ti	trol igor XZ+	- - - CIFICATIONS	- - - Leathe	-	1
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side .eatherette Pack – Available on Ti Premium Leatherette Seats	trol igor XZ+ TECHNICAL SPE	- - - CIFICATIONS	- - - Leathe	- - - r Steering Wheel	1
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side .eatherette Pack – Available on Ti Premium Leatherette Seats Model Length X Width X Height (mm)	trol igor XZ+ TECHNICAL SPE	- - - CIFICATIONS Dimer 3993 x 16	- - - Leathe nsions 577 x 1532	- - - r Steering Wheel	1
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side .eatherette Pack – Available on Ti Premium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm)	trol igor XZ+ TECHNICAL SPEI Petrol	- - - CIFICATIONS Dimer 3993 x 16	- - - Leathe	- - - r Steering Wheel iCNG	1
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side .eatherette Pack – Available on Ti Premium Leatherette Seats Model Length X Width X Height (mm)	trol igor XZ+ TECHNICAL SPE	- - - CIFICATIONS Dimer 3993 x 16	- - - Leathe nsions 577 x 1532	- - - r Steering Wheel	1
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side .eatherette Pack – Available on Ti Premium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm)	trol igor XZ+ TECHNICAL SPEI Petrol	- - - CIFICATIONS Dimer 3993 x 16	- - - Leathe nsions 577 x 1532	- - - r Steering Wheel iCNG	1
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side .eatherette Pack – Available on Ti Premium Leatherette Seats Model Length X Width X Height (mm) Wheel Base (mm)	trol igor XZ+  TECHNICAL SPEI  Petrol  170	CIFICATIONS Dimer 3993 x 16	- - - Leathe nsions 577 x 1532 50	- - - r Steering Wheel iCNG	1
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)	trol igor XZ+  TECHNICAL SPEI  Petrol  170	CIFICATIONS Dimer 3993 x 16 24	- - - Leathe nsions 577 x 1532 50	- - - r Steering Wheel iCNG	1
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type	trol igor XZ+  TECHNICAL SPEI  Petrol  170	CIFICATIONS Dimer 3993 x 16 24 Eng 1.2L Revotu	Leathe  sions 77 x 1532 50  sine ron Engine	- - - r Steering Wheel iCNG	1
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)	trol igor XZ+  TECHNICAL SPEI  Petrol  170	CIFICATIONS Dimer 3993 x 16 24	Leathe  sions 77 x 1532 50  gine ron Engine or, 1199 CC	- - - r Steering Wheel iCNG	<i>' '</i>
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders	trol igor XZ+  TECHNICAL SPEI  Petrol  170 419	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revotr 3 Cylinde	Leather Leather  1  1  Leather  157 x 1532  50  19ine  17 nn Engine  17 nn Engine  17 nn Engine  18 cC  18 CNG: Petrol		√ √ kW) @6000 RPI
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side .eatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min	TECHNICAL SPE Petrol 170 419 Petrol- 86 PS (63.0 kW) @6000	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revote 3 Cylinde	Leathe Leathe sions 77 x 1532 50 gine ron Engine rr, 1199 CC CNG: Petrol CNG Mc		√ √ kW) @6000 RPI ) @6000 RPM
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders	trol igor XZ+  TECHNICAL SPEI  Petrol  170 419	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revote 3 Cylinde	Leathe Leathe sions 77 x 1532 50 gine ron Engine rr, 1199 CC CNG: Petrol CNG Mc		√ √ kW) @6000 RPI ) @6000 RPM
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side .eatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min	TECHNICAL SPE Petrol 170 419 Petrol- 86 PS (63.0 kW) @6000	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revote 3 Cylinde	Leathe Leathe  1  1  1  Leathe  1  1  1  1  1  1  1  1  1  1  1  1  1		√ √ kW) @6000 RPI ) @6000 RPM
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min  Max Torque	rrol igor XZ+  TECHNICAL SPE Petrol  170 419  Petrol- 86 PS (63.0 kW) @6000 l Petrol - 113 Nm @ 3300 r/mir	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revotr 3 Cylinde  RPM	Leathe Leathe  sions 77 x 1532 50  gine ron Engine rr, 1199 CC CNG: Petrol CNG Mc	- - - r Steering Wheel iCNG 165 Mode - 86 PS (63.0 ide - 73.4 PS (54 kW) NG - 95 Nm @ 3500	√ √ √ kW) @6000 RPI ) @6000 RPM 0 r/min
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side .eatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min	TECHNICAL SPE Petrol 170 419 Petrol- 86 PS (63.0 kW) @6000	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revotr 3 Cylinde  RPM  Transneed	Leathe Leathe  sions 77 x 1532 50  sine ron Engine rr, 1199 CC CNG: Petrol CNG Mc		√ √ √ kW) @6000 RPI ) @6000 RPM 0 r/min
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min Max Torque  Transmission	rrol  TECHNICAL SPE  Petrol  170 419  Petrol- 86 PS (63.0 kW) @6000 l  Petrol - 113 Nm @ 3300 r/mir  Manual - 5 Speed / AMT - 5 Spe	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revotr 3 Cylinde  RPM Transn eed Cha	Leather Leathe		√ √ √ kW) @6000 RPI ) @6000 RPM 0 r/min
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min  Max Torque	TECHNICAL SPE Petrol  170 419  Petrol- 86 PS (63.0 kW) @6000 I Petrol - 113 Nm @ 3300 r/mir Manual - 5 Speed / AMT - 5 Spe	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revotr 3 Cylinde RPM Transn eed Cha e,	Leather Leathe		kW) @6000 RPI ) @6000 RPM 0 r/min ed
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min Max Torque  Transmission  Front Suspension	rrol  TECHNICAL SPEI Petrol  170 419  Petrol- 86 PS (63.0 kW) @6000 I Petrol - 113 Nm @ 3300 r/mir Manual - 5 Speed / AMT - 5 Spei Independent, Lower Wishbone McPherson (Dual Path) Strut Tu	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revote 3 Cylinde  RPM Transn eed Cha e,	Leather Leathe		kW) @6000 RPI ) @6000 RPM 0 r/min ed ishbone, ioil Spring
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min Max Torque  Transmission	rrol  TECHNICAL SPE  Petrol  170 419  Petrol- 86 PS (63.0 kW) @6000 l  Petrol - 113 Nm @ 3300 r/mir  Manual - 5 Speed / AMT - 5 Spe  Independent, Lower Wishbone McPherson (Dual Path) Strut Tu Rear Twist Beam with Coil Sprii	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revote 3 Cylinde  RPM Transn eed cha e, uppe ng	Leather Leathe		kW) @6000 RPI) @6000 RPM O r/min ed ishbone, oil Spring Profile Twist
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min Max Torque  Transmission  Front Suspension	rrol  TECHNICAL SPEI Petrol  170 419  Petrol- 86 PS (63.0 kW) @6000 I Petrol - 113 Nm @ 3300 r/mir Manual - 5 Speed / AMT - 5 Spei Independent, Lower Wishbone McPherson (Dual Path) Strut Tu	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revote 3 Cylinde  RPM Transn eed cha e, uppe ng	Leather Leathe		kW) @6000 RPI) @6000 RPM O r/min ed ishbone, oil Spring Profile Twist
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min Max Torque  Transmission  Front Suspension  Rear Suspension	rrol  TECHNICAL SPE  Petrol  170 419  Petrol- 86 PS (63.0 kW) @6000 l  Petrol - 113 Nm @ 3300 r/mir  Manual - 5 Speed / AMT - 5 Spe  Independent, Lower Wishbone McPherson (Dual Path) Strut Tu Rear Twist Beam with Coil Sprii	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revote 3 Cylinde  RPM Transn eed Cha e, ype ng orbers	Leather Leathe		kW) @6000 RPI ) @6000 RPM 0 r/min ed ishbone, oil Spring Profile Twist
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min Max Torque  Transmission  Front Suspension	rrol  TECHNICAL SPE  Petrol  170 419  Petrol - 86 PS (63.0 kW) @6000 l  Petrol - 113 Nm @ 3300 r/mir  Manual - 5 Speed / AMT - 5 Spee  Independent, Lower Wishbone McPherson (Dual Path) Strut Tg  Rear Twist Beam with Coil Sprin Mounted on Hydraulic Shock Absoc XE, XM, XMA, XZ - 175/65 R14, S	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revotr 3 Cylinde  RPM Transn eed Cha e, ype ng orbers teel	Leather Leathe		kW) @6000 RPI ) @6000 RPM 0 r/min ed ishbone, oil Spring Profile Twist
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min Max Torque  Transmission  Front Suspension  Rear Suspension  Tyre - Size/Type	rrol  Igor XZ+  TECHNICAL SPE Petrol  170 419  Petrol- 86 PS (63.0 kW) @6000 l Petrol - 113 Nm @ 3300 r/mir  Manual - 5 Speed / AMT - 5 Spe Independent, Lower Wishbone McPherson (Dual Path) Strut Tig Rear Twist Beam with Coil Sprii Mounted on Hydraulic Shock Abso	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revotr 3 Cylinde  RPM  Transn eed  Cha e, upe ng orbers teel	Leather Leathe		kW) @6000 RPI ) @6000 RPM 0 r/min ed ishbone, oil Spring Profile Twist
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min Max Torque  Transmission  Front Suspension  Rear Suspension	rrol  TECHNICAL SPE  Petrol  170 419  Petrol - 86 PS (63.0 kW) @6000 l  Petrol - 113 Nm @ 3300 r/mir  Manual - 5 Speed / AMT - 5 Spee  Independent, Lower Wishbone McPherson (Dual Path) Strut Tg  Rear Twist Beam with Coil Sprin Mounted on Hydraulic Shock Absoc XE, XM, XMA, XZ - 175/65 R14, S	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revotr 3 Cylinde  RPM Transn eed Cha e, ppe ng pribers treel y	Leather Leathe		kW) @6000 RPI ) @6000 RPM 0 r/min ed ishbone, oil Spring Profile Twist
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders Max Power - KW@r/min Max Torque  Transmission  Front Suspension  Rear Suspension  Tyre - Size/Type  Spare Tyre - Size/Type	rrol  TECHNICAL SPE  Petrol  170 419  Petrol - 86 PS (63.0 kW) @6000 l  Petrol - 113 Nm @ 3300 r/mir  Manual - 5 Speed / AMT - 5 Spee  Independent, Lower Wishbone McPherson (Dual Path) Strut Tg  Rear Twist Beam with Coil Sprin Mounted on Hydraulic Shock Absoc XE, XM, XMA, XZ - 175/65 R14, S	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revote 3 Cylinde RPM Transn eed Cha e, ppe ng pribers teel y 155/80R	Leather Leathe		kW) @6000 RPI ) @6000 RPM 0 r/min ed ishbone, oil Spring Profile Twist
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min Max Torque  Transmission  Front Suspension  Rear Suspension  Tyre - Size/Type	rrol  TECHNICAL SPE  Petrol  170 419  Petrol - 86 PS (63.0 kW) @6000 l  Petrol - 113 Nm @ 3300 r/mir  Manual - 5 Speed / AMT - 5 Spee  Independent, Lower Wishbone McPherson (Dual Path) Strut Tg  Rear Twist Beam with Coil Sprin Mounted on Hydraulic Shock Absoc XE, XM, XMA, XZ - 175/65 R14, S	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revote 3 Cylinde  RPM Transn eed cha e, uppe ng orbers teel y 155/80R Bra Front-Disc,	Leather Leathe		kW) @6000 RPI ) @6000 RPM 0 r/min ed ishbone, oil Spring Profile Twist
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min Max Torque  Transmission  Front Suspension  Rear Suspension  Tyre - Size/Type  Spare Tyre - Size/Type  Front, Rear	TECHNICAL SPERATE Petrol  TECHNICAL SPERATE Petrol  170 419  Petrol - 86 PS (63.0 kW) @6000 l Petrol - 113 Nm @ 3300 r/mir  Manual - 5 Speed / AMT - 5 Sperate McPherson (Dual Path) Strut Tig Rear Twist Beam with Coil Sprii Mounted on Hydraulic Shock Absolute (Shock Absolute) American Resear Times Times Resear Times Research Times Resear	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revote 3 Cylinde  RPM Transn eed cha e, uppe ng orbers teel y 155/80R Bra Front-Disc,	Leather Leathe		kW) @6000 RPI ) @6000 RPM O r/min ed iishbone, ioil Spring Profile Twist
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders Max Power - KW@r/min Max Torque  Transmission  Front Suspension  Rear Suspension  Tyre - Size/Type  Spare Tyre - Size/Type	rrol  TECHNICAL SPE  Petrol  170 419  Petrol - 86 PS (63.0 kW) @6000 l  Petrol - 113 Nm @ 3300 r/mir  Manual - 5 Speed / AMT - 5 Spee  Independent, Lower Wishbone McPherson (Dual Path) Strut Tg  Rear Twist Beam with Coil Sprin Mounted on Hydraulic Shock Absoc XE, XM, XMA, XZ - 175/65 R14, S	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revote 3 Cylinde  RPM Transn eed cha e, uppe ng orbers teel y 155/80R Bra Front-Disc,	Leather Leathe		kW) @6000 RPI ) @6000 RPM O r/min ed iishbone, ioil Spring Profile Twist
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model  Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min Max Torque  Transmission  Front Suspension  Rear Suspension  Tyre - Size/Type  Front, Rear  Capacity -unction enabled only if supported by the Bl Function enabled only if supported by the Bl	TECHNICAL SPEI Petrol  170 419  Petrol - 86 PS (63.0 kW) @6000 I Petrol - 113 Nm @ 3300 r/mir Manual - 5 Speed / AMT - 5 Spei Independent, Lower Wishbone McPherson (Dual Path) Strut Tg Rear Twist Beam with Coil Sprii Mounted on Hydraulic Shock Absc XE, XM, XMA, XZ - 175/65 R14, S XZ+, XZA+ - 175/60 R15, Allog  35L uetooth profile of the connected phone	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revote 3 Cylinde  RPM Transn eed Cha e, ppe ng prbers teet y 155/80R Bra Front-Disc , Fuel	Leather Leathe		kW) @6000 RPI ) @6000 RPM O r/min ed iishbone, ioil Spring Profile Twist
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min Max Torque  Transmission  Front Suspension  Rear Suspension  Tyre - Size/Type  Spare Tyre - Size/Type  Front, Rear  Capacity  Length Adjustrations are indicative and for in	TECHNICAL SPERATE TO THE TECHNICAL SPERATE TWIST BEAR WITH COIL SPRIM MOUNTED ON HYDROGON (Dual Path) Strut TECHNICAL SPERATE TWIST BEAR WITH COIL SPRIM MOUNTED ON HYDROGON TO THE TECHNICAL SPERATE TWIST BEAR WITH COIL SPRIM MOUNTED ON HYDROGON TO THE TECHNICAL SPERATE THE TECH	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revote 3 Cylinde  RPM Transn eed Cha e, ype ng pribers teel y 155/80R Bra Front-Disc, Fuel	Leather Leathe		kW) @6000 RPI ) @6000 RPM O r/min ed iishbone, ioil Spring Profile Twist
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders  Max Power - KW@r/min Max Torque  Transmission  Front Suspension  Rear Suspension  Tyre - Size/Type  Spare Tyre - Size/Type  Front, Rear  Capacity  Length Adjustrations are indicative and for in	TECHNICAL SPERATE TO THE TECHNICAL SPERATE TWIST BEAR WITH COIL SPRIM MOUNTED ON HYDROGON (Dual Path) Strut TECHNICAL SPERATE TWIST BEAR WITH COIL SPRIM MOUNTED ON HYDROGON TO THE TECHNICAL SPERATE TWIST BEAR WITH COIL SPRIM MOUNTED ON HYDROGON TO THE TECHNICAL SPERATE THE TECH	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revote 3 Cylinde  RPM Transn eed Cha e, ype ng pribers teel y 155/80R Bra Front-Disc, Fuel	Leather Leathe		kW) @6000 RPI @6000 RPM 0 r/min ed ishbone, ioil Spring Profile Twist in Strut el er Capacity)
Autofold ORVM with Welcome Fu Driver Seat Height Adjustment Fully Automatic Temperature Con Vanity Mirror on Co-driver Side Leatherette Pack – Available on Ti Premium Leatherette Seats  Model Length X Width X Height (mm) Wheel Base (mm) Ground Clearance (mm) Boot Space (litres)  Engine Type Capacity, Cylinders Max Power - KW@r/min Max Torque Transmission Front Suspension Tyre - Size/Type Spare Tyre - Size/Type Front, Rear Capacity  "unction enabled only if supported by the Bt ages and fillustrations are indicative and for inticolor coordinated AC vents only for Arrora E stors dealer for latest information on recent	TECHNICAL SPEI Petrol  170 419  Petrol - 86 PS (63.0 kW) @6000 I Petrol - 113 Nm @ 3300 r/mir Manual - 5 Speed / AMT - 5 Spei Independent, Lower Wishbone McPherson (Dual Path) Strut Tg Rear Twist Beam with Coil Sprii Mounted on Hydraulic Shock Absc XE, XM, XMA, XZ - 175/65 R14, S XZ+, XZA+ - 175/60 R15, Allog  35L uetooth profile of the connected phone	CIFICATIONS  Dimer 3993 x 16 24  Eng 1.2L Revote 3 Cylinde  RPM Transn eed Cha e, μpe ng probers teel y 155/80R Bra Front-Disc, Fuel  are not available pro information a uthorised Tatal	Leather Leathe		kW) @6000 RPI ) @6000 RPM 0 r/min ed ishbone, oil Spring Profile Twist n Strut el