

WE FUN. WE FAST. VE ELECTRIC.

ALL-ELECTRIC C-SUV

XUVADD

WE ELECTRIFYING Charge us and get ready to have your mind blown.

No Range Anxiety: 456* km on a Single Charge (MIDC Part 1) Fastest Acceleration: 0-100 km/h in 8.3 seconds[#] Torque: 310 Nm





Battery: 39.4 kWh, 0-80% in 50 minutes^

Expansive Mahindra Partner Charging Network

#Fastest Accelerating Car (0-100 km/h) in Non-luxury Segment. ^50 kW DC Fast Charger. *ARAI.



WE BOT SVAG We sure know how to make our presence felt.

Electrifying Presence First Mahindra Vehicle to carry the Electrifying Twin Peaks Exclusive Satin Copper Inserts Widest C-segment eSUV (1821 mm) Long Wheelbase (2600 mm) LED Tail Lamps and Projector Headlamps with DRLs R16 Diamond Cut Alloy Wheels Spacious Cabin Fog Lamps

SEW333 MESSIN

XUVADD



WE TOUGH. WE SOPHISTICATED. Raw and tough on the outside and charmingly sophisticated on the inside. That's us.

Unique Single Pedal Drive makes driving in city traffic easy Premium Sporty Interiors Leatherette Seats with Blue Stitching Cruise Control Monostable Shifter Satin Copper Touch Points

3 Intelligent Drive Modes: FUN, FAST, FEARLESS

Smart Steering System with simultaneous tuning of Throttle Response and Regen Levels

NE SAFE Keep your eyes on the road. We will take care of the rest.

First-in-class Offering: 6 Airbags All 4 Disc Brakes IP67 Ingress Protection for Dustproof and Waterproof Battery and Motor Rear View Camera ESP Hill Hold Assist TPMS Auto-Dimming IRVM





First-In-Class Gamification of Driving Behaviour 4 Speakers & 2 tweeters

17.78 cm Infotainment System with Android Auto™ and Apple CarPlay®



WE CONNECTED Need anything? You're just a tap away.

Class-leading 50+ Connected Car Features Smartwatch Connectivity Wireless Charger

Smart Route Planning and Charging Recommendations First-In-Class Exclusive App for Android Auto[™] and Apple CarPlay[®]



XUV400 SPECIFICATIONS

Min (rph)Partoneor Musical Sector	SPECIFICATIONS Electric Drivetrain	XUV400 EC	XUV400 EL
More Resume Along Norms (Man)LID NM LED PSMax Resume Along Torque (Man)PanelassesInvertexite Along Torque (Man)PanelassesInvertexite Along Torque (Man)94.64 ManDatar Prook94.64 ManMank College of Float NacionalismMank Houle ProokNote Datar Prook94.64 ManMank College of Float NacionalismMank Houle ProokNote Datar Prook94.64 ManNote Dat		Permanent Maai	net Synchronous Motor
<table-container>Max hear hear hear hear hear hear hear hear</table-container>			
Bride Modes Cro. First F Evenes The modes have the resources of starting, months & peper levels Brittary Park 394 k/sh Brittary Park 394 k/sh Brittary Park R3 Breanes Brittary Park R3 Breanes Drow Yoo R3 Breanes Brow Yoo R3 Breanes Drow Yoo R3 Breanes Brow Yoo Shift-by-ware showsments Brow Yoo Brow Ware Drow Yoo Shift-by-ware showsments Brow Yoo Brow Ware Brow Yoo Brow Ware Brow Yoo Brow Yoo <			
IB condex such expansion of starter from the such expansion of the subsect expansion of the			
Idersy had:34 S. kin39 A kinInprase Printerion for Motor & Battery Park.8.3 SecondsAcceleration 0. 2000 km /n secondsStattery Park.Acceleration 0. 2000 km /n secondsStattery Park.TressninStattery Park.TressninStattery Park.Bronger Cannot SecondsStattery Park.			
Britery hole39 4 5 km39 4 kmIncress Protocons for Mars P Barry AcouB.3 3			
Logess huber to to Mark a Battary PuckIPPAcceleration (0-100 km/h in seconds)8.3 SecondsNow YoaRither Maeed IntreeTransmissionSith Thy Walk Automatic TransmissionBangaSith (MBO Part 1)BangaSith (MBO Part 1) <tr< td=""><td>Datton / Daol/</td><td></td><td></td></tr<>	Datton / Daol/		
Accordmon 00: 200 km/h in seconds)I B 3 secondsbine typeFrom the otherFrom singFrom the otherEmessionZara Tolujoe ExcessionEmessionZara Tolujoe ExcessionBangeGotte Multip Part)A Sab multip AdvanceBangeGotte Multip Part)A Sab multip AdvanceEnginA 2000 From 1000 Fr		34.5 KWN	
Brief PipeFront Weel DreeTransitionShift-by-Wite Altornatic FrancessionBrassionZa'o Buigue EntrisoinRonge375 km (MDD Port 1)Stage framection TypeCESTDronge framection TypeCESTBrancessonCESTBrancessonCESTWathStage framection TypeWathStage framection TypeMeetadoCESTWathStage framection TypeWathStage framection TypeWathStage framection TypeWathStage framection TypeWathStage framection TypeWathStage framection TypeWathStage frame The Stage frameWathStage frame The Stage frameWathStage frame The Stage frameStage frame Frame Stage frameStage frame The Stage frameStage frame Frame Stage frameStage frame The Stage frameStage frame Frame Stage frameStage frameStage frame Stage frameStag			
TensinsiniSoft symmetry transmissionEmissionIza Taray ExplorementBringer Lower L			
ErrissionZerr Tallojue ErrissionRonge375 km (MDD Part 1)Ronge famescion Type555 km (MDD Part 1)Binger famescion Type000000000000000000000000000000000			
<table-container>Earge375 km (MBC Part 1)458 km (MBC Part 1)DargerConserved on the second of the</table-container>			
ChargingCDS and CDS a			
Charger Connection YaveCHSSEJamesLargerlaNationWidthAlger IntWidthHeightStead ToolYape and Design of Front SuspensionType and Design of Front SuspensionType and Design of Front SuspensionSuspension Environment ControlSuspension Environment Environment ControlSuspension Environmen		3/5 KM (MIUC Part 1)	456 KM (MIUC Part 1)
Binestions Use of the second secon			0000
Length4200 mmWidth1382 mmHorphot1382 mmWheelbase2600 mmYpen and Basegn of Frant SuspensionMacPhares Daru With Anti Rull SolingSuspension RuhancementsFrequency Dependent Europing (FR0) and Suspension RuhancementsWheel Race2005 KS IsSuspension RuhancementsRundware Rull Suspension RuhancementsSuspension RuhancementsRundware Rull Suspension RuhancementsRull-landable Vitav With Concentric Lund (MTV-LD) 			<i>CC52</i>
WidthIBE21 mmHeightCACIBE21 mmHeightCACIBE21 mmYue and Design of Frant SuspensionMacPherson Strut with Ant Roll BarType and Design of Frant SuspensionMacPherson Strut with Ant Roll BarSuspension EnhancementsPrequency Dependent Design (FMD andWhead StarPrequency Dependent Design (FMD andWhead StarBetterWhead StarDesign (FMD and MAC)Whead StarDesign (FMD and MAC)SteeringDesign (FMD and MAC)SteeringDesign (FMD and MAC)SteeringSteeringSteeringCace and SteeringSteeringCace and Steering			
Height1634 mmWheelborsCBOD mmType and Besign of Kort SuspensionMocRPerson Strut with Anti Roll BorType and Besign of Kort SuspensionTwist Beam with Call SpringSuspension EnhoncementsFrequency DespensionWheel SizeCBOS more struct Call (MTV-Cu)Multer State2005 WestStell Meels/ Aloy WheelsBetter OWStell Meels/ Aloy WheelsSteelDistanceCBOS More StructStell Meels/ Aloy WheelsSteelStell Meels/ Aloy MeelsSteelStell Meels/ Aloy MeelsSteelStell Meels/ Aloy MeelsSteelStell Meels/ Aloy MeelsSteelStell Meels/ SteelSteelStell Meels/ SteelSteelStell Meels/ SteelSteelStell Meels/ SteelSteelStell Meels MeelsSteelStell Meels MeelsSteel <td></td> <td></td> <td></td>			
Wheelbase2600 mmType and Design of Front SuspensionMocPherson Strut with Anil Roll Bor Type and Design of Haar SuspensionSuspension EnhancementsFrequency Dependent Damping (PDD) and Borter Steam with Dail Soliton)Suspension EnhancementsMulti-Intable Valve with Donestinic Land (MIT-ED)Wheel Stac285/5/5/LBSteering285/5/S/LBSteering285/5/S/LBSteering1000000000000000000000000000000000000			
Type and Besign of Frant SuspensionMacPherson Strut + Manh Bolk BarnType and Design of Real SuspensionTotal Beal Nuth Coll SprusSuspension EnhancementsFrequency Degenerat Load (MTA-GL)Wheel SizeSteed 205/// FLSSteen of Coll Steed205/// FLSSteel of Coll Steed Nuth			
Type and Basign of Rear Suspension Twist Beam with Cell Spring Suspension Enhancements Frequency Dependent Damping (42D) and Multi-tunoble Note with Cell Damott Wheel Star 2015/85/818 Steeling 2015/878 Steeling 2016/878 Steeling 2016/878 Steeling 4 Ste			
Suspension Enhancements Frequency Rependent Humping (FUD) and Multi-hunoble Valve with Fursion Land (MTV-EL) Wheel Scale 2005/85 Steering Carrent Carrent Land (MTV-EL) LED Taulionaps Carrent Carrent Land (MTV-EL) Badd Kinteriors Carrent Carrent Land (MTV-EL) Badd Kinteriors Carrent Carrent Land (MTV-EL) Badd Kinteriors Carrent Carrent Land (MTV-EL) Steel Arch Bladding Carrent Carrent Land (MTV-EL) Badd Kinteriors Carrent Land (MTV-EL) Steel Arch Bladding Carrent Land (MTV-EL)			
Media Multi-hundble Valve with Concentric Lond (MTV-EL) Steering 2055/5 R16 Steering Electric Para Steel Bleak Steel Wheels/ Alloy Wheels Steel Steel Wheels/ Alloy Wheels Steel Steel Wheels/ Alloy Wheels O LED Follomps O LED Follomps O And Rais O And Rais O Steel wheels/ Alloy Kheels O All Block Interiors O Bady Coloured Date Handles O Steel wheels/ Alloy Kheels O Steel wheels/ Alloy Kheels O Steel wheels/ Alloy Kheels O Steel Steel wheels O All Block Interiors O Steel Steel wheels O Steel	Type and Design of Rear Suspension	Twist Bear	n with Coil Spring
Wheel Size CBCR00000000000000000000000000000000000	Suspension Enhancements	Frequency Depen	dent Damping (FDD) and
SteeringIEectric PursueDescriptionXUVAID EcXUVAID EcSteel Wheels/ Alloy WheelsSteelDiamand LA May WheelsSteel Wheels/ Alloy WheelsIISteel Wheels/ Alloy WheelsIIED DraisIIIRoof RollsIIIRoof RollsIIIBody Coloured Door HandlesIIIBody Coloured Door HandlesIIIBody Coloured Door HandlesIIIBody Coloured Door HandlesIIISolie Roof RollIIISolie Roof RollIIISolie Roof RollIIISolie Roof Roof Roof Roof Roof Roof Roof Roo			
BESIGNXW400 ECXW400 ECSteel Wheels/ Allay WheelsSteelDiamond Cut Allay WheelsLED Ruls-Roof Rolks-Roof Rolks-All Black Interiors-Body Coloured Door Hondles-Body Coloured Door Hondles-Stein Inserts in Door Cladding-Stein Inserts in Door Cladding-Stein Inducators on DRVMs-SponlerFog Lamps-SheftyNUM400 ECNUM400 ELNo of Aritogs26All A Dies BonkesSteel Betrik Brith Petersioner & Load -limiter-From Seen Betrik with Pre-tensioner & Load -limiter-From Seen Betrik with Pre-tensioner & Load -limiter-From Seen Betrik with Pre-tensioner & Load -limiter-From Seen Boor LoadImmebilizerPanse Briding SignalPassenger Aribog Deoctivation Switch <td>Wheel Size</td> <td></td> <td></td>	Wheel Size		
Steel Wheels/ Allay WheelsSteelDiamand Cut Allay WheelsLED TaillampsLED TaillampsRoot RoltsBody Boloured Door HandlesBlack InteriorsBlack RoltsStill Bork InteriorsBlack RoltsBlack RoltsStill Bork InteriorsBlack RoltsBlack RoltsStill Borkel Arch CladdingStill Instris In Door CladdingSpailerFog LompsSpailerNo of AirbagsStert YNUWADD EDNut Allo Se BrakesSeat Belt Reminder for Co-driverReor Defagaer, Wosh & WiperSpaed Sensing Door LookImpolitizerPanic Braking SignalPanic Braking SignalPanic Braking SignalPanic Braking SignalPanic Braking SignalPanic Braking SignalPanic Braking Signal	Steering	Electric I	Power Steering
LED DRLs	DESIGN	XUV400 EC	XUV400 EL
LED TarillampsImage: Constraint of the second s	Steel Wheels/ Alloy Wheels	Steel	Diamond Cut Alloy Wheels
Roaf RailsAll Black InteriorsBady Oblauned Door HandlesBlack ORVMsBlack ORVMsSill & Wheel Arch EldddingSill & Mheel Arch EldddingSthin Instris In Daor GladdingSpailerFog LampsSpailerNo. of ArbogsShertYXUK400 EL.No. of ArbogsAlls Disc BrakesSur Belt Reminder for Co-driverRaor Beltgager, Wash B WiperSpeed Sensing Door LackImmobilizerPance Braking SignalFrysRussenger Aribag Deactivation SwitchEsPImmobilizerAuto-Dimming IRVMHill Hald AssistBaot LampStart LampsStart La	LED DRLs		
All Black Interiors · Body Coloured Door Handles · Black DRVMs · Black DRVMs · Black DRVMs · Solit B Wheel Arch Gladding · Solit B Glades · <td>LED Taillamps</td> <td></td> <td>✓ 100 100 100 100 100 100 100 100 100 10</td>	LED Taillamps		✓ 100 100 100 100 100 100 100 100 100 10
Bady Caloured Doar Handles Image: Caloured Doar Handles Black DRVMs Image: Caloured Doar Handles Black DRVMs Image: Caloured Doar Handles Sill & Wheel Arch Cladding Image: Caloured Doar Handles Satin Inserts in Door Cladding Image: Caloured Doar Handles Satin Inserts in Door Cladding Image: Caloured Doar Handles Statin Inserts in Door Cladding Image: Caloured Doar Handles Spoiler Image: Caloured Doar Handles Fort Sear Belts with Pre-Iensioner B Load-Handler Image: Caloured Doar Handles Impact Sensing Door Unlock Image: Caloured Doar Handles <	Roof Rails		
Bady Caloured Doar Handles Image: Caloured Doar Handles Black DRVMs Image: Caloured Doar Handles Black DRVMs Image: Caloured Doar Handles Sill & Wheel Arch Cladding Image: Caloured Doar Handles Satin Inserts in Door Cladding Image: Caloured Doar Handles Satin Inserts in Door Cladding Image: Caloured Doar Handles Statin Inserts in Door Cladding Image: Caloured Doar Handles Spoiler Image: Caloured Doar Handles Fort Sear Belts with Pre-Iensioner B Load-Handler Image: Caloured Doar Handles Impact Sensing Door Unlock Image: Caloured Doar Handles <	All Black Interiors		
Black QRVMsImage: ClaudingImage: ClaudingStill & Wheel Arch ClaudingImage: ClaudingStill inserts in Door ClaudingImage: ClaudingLED Turn Indicators on DRVMsImage: ClaudingSpoilerImage: ClaudingImage: ClaudingImag		✓	
Sill & Wheel Arch CladdingImage: CladdingSotin Inserts in Door CladdingImage: CladdingLED Turn Indicators on DRVMsImage: CladdingSpailerImage: CladdingSpailerImage: CladdingSpailerImage: CladdingSpailerImage: CladdingSpailerImage: CladdingSpailerImage: CladdingSpailerImage: CladdingNo of ArbogsImage: CladdingShEFYImage: CladdingNo of ArbogsImage: CladdingABS with EBDImage: CladdingAll 4 Disc BrakesImage: CladdingISOFIX / Child Seat AnchorsImage: CladdingSeat Belt Reminder for Co-driverImage: CladdingSeat Belt Reminder for Co-driverImage: CladdingSpeed Sensing Door LockImage: CladdingSpeed Sensing Door LockImage: CladdingImage: Spead Sensing Door LockImage: CladdingSpead Sensing Door LockImage: CladdingSpead			
Satial Inserts in Daar CladdingLED Turn Indicators on DRVMsSpoilerFag LampsSAFETYXUV400 ECXUV400 ELNo. of AirbagsABS with EBDABS with EBDABS with EBDSoft Belt Reminder for Co-driverSeare Defagger, Wash & WiperSpeed Sensing Door LockImpact Sensing Door LockImpact Sensing Door UnlockHigh Mounted Stop LampPassenger Airbag Deactivation SwitchPossenger Airbag Deactivation SwitchPossenger Airbag Deactivation SwitchAutr-Dimming IRVMHill Hold AssistBoot LampKuth HadassistStop LampKuth HadassistKuth	Sill & Wheel Arch Cladding	✓	✓
SpoilerImage: spoilerFog LampsImage: spoilerFog LampsXUV400 ECSAFETYXUV400 ECNo. of Airbags2ABS with EB0Image: spoilerABS with EB0Image: spoilerAll 4 Disc BrakesImage: spoilerIsoFX / Child Seat AnchorsImage: spoilerSeat Belt Reminder for Co-driverImage: spoilerRear Defogger, Wash & WiperImage: spoilerSeat Belts with Pre-tensioner & Load-limiterImage: spoilerSpeed Sensing Door LockImage: spoilerImpact Sensing Door UnlockImage: spoilerHigh Mounted Stop LampImage: spoilerPanic Braking SignalImage: spoilerPassenger Airbag Deactivation SwitchImage: spoilerESPImage: spoilerAuto-Dimming IRVMImage: spoilerHill Hold AssistImage: spoilerBoot LampImage: spoilerBoot LampImage: spoilerHill Hold AssistImage: spoilerHill Hold AssistImage: spoilerBoot LampImage: spoilerBoot LampImage: spoilerHill Hold AssistImage: spoilerBoot LampImage: spoilerBoot LampImage: spoilerHill Hold AssistImage: spoiler <td>Satin Inserts in Door Cladding</td> <td></td> <td>✓</td>	Satin Inserts in Door Cladding		✓
SpoilerImage: spoilerFog LampsImage: spoilerFog LampsXUV400 ECSAFETYXUV400 ECNo. of Airbags2ABS with EB02ABS with EB0Image: spoilerAll 4 Disc BrakesImage: spoilerISOFUX / Child Seat AnchorsImage: spoilerSeat Belt Reminder for Co-driverImage: spoilerRear Defogger, Wash & WiperImage: spoilerSeat Belts with Pre-tensioner & Load-limiterImage: spoilerSpeed Sensing Door LockImage: spoilerImpact Sensing Door UnlockImage: spoilerHigh Mounted Stop LampImage: spoilerPanic Braking SignalImage: spoilerPassenger Airbag Deactivation SwitchImage: spoilerESPImage: spoilerAuto-Dimming IRVMImage: spoilerHill Hold AssistImage: spoilerBoot LampImage: spoilerBoot LampImage: spoilerHill Hold AssistImage: spoilerBoot LampImage: spoilerBoot Lamp<	LED Turn Indicators on ORVMs		
SAFETYXUVADD ECXUVADD ELNo. of Airbags26ABS with EBDABS with EBDAll 4 Disc BrakesISDFIX / Child Seat AnchorsSeat Beth Reminder for Co-driverRear Defogger, Wash & WiperFront Seat Belts with Pre-tensioner & Load-limiterSpeed Sensing Door LockImport Sensing Door UnlockHigh Mounted Stop LampPanic Braking SignalPasenger Airbag Deactivation SwitchESPAuto-Dimming IRVMHill Hold AssistBoot LampBoot LampBoot LampAuto-Dimming IRVMHoot LampBoot LampStatageBoot LampStatageStatageStatageStatageStatageStatageStatageStatageStatageStatageStatageStatageStatageStatageStatageStatage <td>Spoiler</td> <td></td> <td></td>	Spoiler		
No. of Airbags2BABS with EBDImage: Constraint of Cons	Fog Lamps	✓	✓
No. of Airbags2BABS with EBDImage: Constraint of Cons	SAFETY	XUV400 EC	XUV400 EL
All 4 Disc BrakesImage: Constraint of the	No. of Airbags	2	
ISDFIX / Child Seat AnchorsImage: Constraint of a con	ABS with EBD		
Seat Belt Reminder for Co-driverImage: Constraint of Co-driverRear Defogger, Wash & Wiper-Image: Constraint of Co-driverFront Seat Belts with Pre-tensioner & Load-limiterImage: Constraint of Co-driverImage: Constraint of Co-driverSpeed Sensing Door LockImage: Constraint of Co-driverImage: Constraint of Co-driverSpeed Sensing Door UnlockImage: Constraint of Co-driverImage: Constraint of Co-driverImpact Sensing Door UnlockImage: Constraint of Co-driverImage: Constraint of Co-driverHigh Mounted Stop LampImage: Constraint of Co-driverImage: Constraint of Co-driverImmobilizerImage: Constraint of Cons	All 4 Disc Brakes		
Rear Defagger, Wash & Wiper.Front Seat Belts with Pre-tensioner & Load-limiter.Speed Sensing Door Lock.Impact Sensing Door Unlock.Impact Sensing Door Unlock.High Mounted Stop Lamp.Panic Braking Signal.Passenger Airbag Deactivation Switch.ESP.Auto-Dimming IRVM.Hill Hold Assist.Boot Lamp.Impo.Impact Sensing International State.Impact Sensing Signal.Impact Sensing Deactivation Switch.Impact Sensing International State.Impact Sensing International State.Impact Sensing International State.Impact Sensing Signal.Impact Sensing Sensing Sensing Sensing Sensing S	ISOFIX / Child Seat Anchors	✓	
Rear Defagger, Wash & Wiper··Front Seat Belts with Pre-tensioner & Load-limiter··Speed Sensing Door Lock··Impact Sensing Door Unlock··Impact Sensing Door Unlock··High Mounted Stop Lamp··Panic Braking Signal··Passenger Airbag Deactivation Switch··ESP··Auto-Dimming IRVM··Hill Hold Assist··Boot Lamp··Impact Sensing Internet··Impact Sensing Signal··Passenger Airbag Deactivation Switch··ESP···Impact Sensing IRVM··Hill Hold Assist··Impact Sensing IRVM··Impact Sensing IRVM· </td <td>Seat Belt Reminder for Co-driver</td> <td></td> <td></td>	Seat Belt Reminder for Co-driver		
Frant Seat Belts with Pre-tensioner & Load-limiterImage: Speed Sensing Door LockImage: Speed Sensing Door LockImage: Speed Sensing Door UnlockImage:			✓ 100 100 100 100 100 100 100 100 100 10
Speed Sensing Door LockImpact Sensing Door UnlockImpact Sensing Door UnlockImpact Sensing Door UnlockHigh Mounted Stop LampImpact Sensing Stop LampImpact Sensing Stop LampImpact Sensing SensitivePanic Braking SignalImpact Sensing Door LockImpact Sensing SensitiveImpact Sensing SensitivePassenger Airbag Deactivation SwitchImpact SensitiveImpact SensitiveFPMSImpact SensitiveImpact SensitiveAuto-Dimming IRVMImpact SensitiveImpact SensitiveBoot LampImpact SensitiveImpact SensitiveBoot LampImpact SensitiveImpact Sensitive			
Impact Sensing Door UnlockImpact Sensing Door UnlockHigh Mounted Stap LampImpobilizerImmobilizerImmobilizerPanic Braking SignalImpoblementPassenger Airbag Deactivation SwitchImpoblementESPImpoblementTPMSImpoblementAuto-Dimming IRVMImpoblementHill Hold AssistImpoblementBoot LampImpoblement		✓	
High Mounted Stop Lamp Immobilizer Immobilizer Immobilizer Panic Braking Signal Immobilizer Passenger Airbag Deactivation Switch Immobilizer PSP Immobilizer TPMS Immobilizer Auto-Dimming IRVM Immobilizer Hill Hold Assist Immobilizer Boot Lamp Immobilizer			
ImmabilizerImmabilizerPanic Braking SignalImmabilizerPanic Braking SignalImmabilizerPassenger Airbag Deactivation SwitchImmabilizerESPImmabilizerTPMSImmabilizerAuto-Dimming IRVMImmabilizerHill Hold AssistImmabilizerBoot LampImmabilizer			
Panic Braking Signal Image: Construction Switch Image			
Passenger Airbag Deactivation Switch Image: Constraint of Switch Image: Constrat Image: Constraint of Switch <thim< td=""><td></td><td>✓</td><td></td></thim<>		✓	
ESP Image: Constraint of the constraint of t			✓
TPMS Image: Constraint of the sector of the se			
Auto-Dimming IRVM Image: Constraint of the c			
Hill Hold Assist - 🗸 Boot Lamp - I			
Boot Lamp 🗸 🗸			
	bon Lump		ALL-ELECTRIC C-S
			ALL"ELEGIKIG G*S



XUV400 SPECIFICATIONS

COMFORT	XUV400 EC	XUV400 EL
Seat Upholstery	Fabric	Leatherette Seats
Leather Steering		✓
Electric Sunroof with Anti-pinch		✓
Steering Mounted Phone & Audio Controls		✓
60:40 Split 2 nd Row	✓	✓
Height-adjustable Driver Seat		✓
Height-adjustable Front Seat Belts	✓	✓
Illuminated Sunvisors with Vanity Mirrors (Co-driver side)		✓
4 Speakers		✓
Console Roof Lamp		✓
12V Accessory Socket	✓	✓
Adjustable Headrest for 2 nd Row Window Seats	√	✓
Adjustable Headrest for 2 nd Row Middle Seats		✓
Padded Front Armrest with Storage		✓
Bottle Holder in all 4 Doors	✓	✓
Bungee Strap for Stowage		✓
Sunglass Holder		✓
2 nd Row Armrest with Cupholders		✓
Cruise Control	✓	✓
TECHNOLOGY	XUV400 EC	XUV400 EL
Bluesense+ (Exclusive app with 50+ class-leading		
connectivity features)		
4 Speakers & 2 tweeters	1	✓
Smart Watch Connectivity		✓
Smart Steering System	✓	✓
Supervision Cluster with 8.89 cm Screen	✓	-
Central Locking	✓	
Passive Keyless Entry		✓
Push Button Start/ Stop		
17.78 cm Touch Screen Infotainment		
Bluetooth/ AUX/ USB Connectivity		
Android Auto™ and Apple CarPlay®		
Rear Parking Sensors	✓	
Reverse Camera with Adaptive Guidelines		
Projector Headlamps		
Electrically Adjustable ORVMs	✓	Foldable & Adjustable
Instrument Cluster with Multi-colour Illumination		✓
Follow-me-home & Lead-me Lamps		-
Intelligent Light-sensing Headlamps		
Smart Rain-sensing Wipers		✓
Tyre-position Display	✓	✓
Front & Rear Power Windows	✓	
Extended Power Window Operation	✓	
USB Charging Points		1
1-touch Lane Change Indicator	✓	-
Voice Commands & SMS Read Out		✓
Wireless Charger		-
COLOURS AVAILABLE	XUV400 EC	XUV400 EL
Napoli Black	\bigcirc	
Arctic Blue		
Infinity Blue		
Everest White		
Galaxy Grey		
Napoli Black + Satin Copper		
Arctic Blue + Satin Copper	•	
Arctic Blue + Satin Copper Infinity Blue + Satin Copper Everest White + Satin Copper		



EXTERIOR	INTERIOR	SAFETY	TECHNOLOGY
Aero-fascia with Satin Copper Arrowhead Inserts	Sporty Black Interiors Theme	Crash Compliant Structure	17.78 cm Touch Screen Infotainment System with Navigation, 4 Speakers & 2 tweeters
Projector Headlamps with LED DRLs	Black Leatherette Seats with Blue Stitching	Airbags (Six) (Front +Side + Curtain)	Drive Modes – Fun, Fast and Fearless
New LED Tail Lamp with Satin-copper Insert	Piano Black Centre Console	ABS+EBD	Android Auto™ and Apple CarPlay® Compatibility (Wired)
Satin Copper Twin Peaks Logo	Satin Copper Design Elements	Disc Brakes Front & Rear	60+ Connected Car Apps & Features
Large Wheel Arches	Centre Storage Console Bax	ISOFIX	Lively Mode (Single Pedal Drive)
Side Cladding with Satin-copper Strip	Front Storage Tray	IP 67 Ingress Protection for Motor & Battery Pack	Tyre Position Display
R16 Diamond Cut Alloy Wheels	Large Glove Box	Immobiliser	EV Statistics
Roof Rails	Bottles Holder in Front & Rear Doors	Rear Demister	Unique Leader Boards
Rear Spoiler	6 Way Manual Adjustable Driver Seats	Pyro Switch for Battery Safety	Auto Headlamps and Rain Sensing Wipers
Rear Wiper & Washer	60:40 Rear Split Seats	ESP	Controls on Steering
Front & Rear Skid Plate	Front and Rear Armrest	TPMS	Passive Keyless Entry (PKE) with Push Button Start
Electric Sunroof	Driver-side One-touch Power Window	Auto-Dimming IRVM	Smartwatch Connectivity
Electrically Adjustable & Foldable ORVMs	12V Charging Port	Hill Hold Assist	Segment-First App for Andraid Auto™ and Apple CarPlay®
ōg Lamps	Cruise Control		Wireless Charger

